

Substitute for form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet	1	of	2
-------	---	----	---

Complete if Known

Known
10/561251

Application Number

Filing Date

First Named Inventor

Art Unit

Examiner Name

Attorney Docket Number

Koji FUJIMOTO

IAP20 Rec'd
er 36856.1396

U.S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

[illegible]

Examiner Signature	/Robert Eom/	Date Considered	12/09/2008
-----------------------	--------------	--------------------	------------

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant unique citation designation number (optional). ² See Kind Codes of USPTO Patent documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Abstract is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14.

PTO/5B/OBA (04-03)

Substitute for form 1449/PTO

Complete if Known

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 2 of 2

Application Number	
Filing Date	10/561251
First Named Inventor	Koji FUJIMOTO
Art Unit	
Examiner Name	IAP20 Rec'd PCT/PTO 19 DEC 2005
Attorney Docket Number	36856.1396

NON PATENT LITERATURE DOCUMENTS

Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title Of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
/R.E./	8	STUBBS et al., "Cocaine Detection Using Surface Acoustic Wave Immunoassay Sensors," IEEE International Frequency Control Symposium and PDA Exhibition, October 31, 2002, pp. 289-293.	
/R.E./	9	BARIE et al., "The Use of Dextran as an Intermediate Layer: A New Approach Towards SAW Based Biosensors," 1999 Joint Meeting EFTF-IEEE IFCS, May 19, 2000, Vol. 2, pp. 997-1000.	
/R.E./	10	KONDOH et al., "SH-SAW Biosensor Based on pH Change," 1993 IEEE Ultrasonic Symposium, July 14, 1994, Vol. 1, pp. 337-340.	
/R.E./	11	SHIOKAWA et al., "Fundamental and Application of SAW Sensor", Dai 32 Kai EM Symposium, May, 15, 2003, pp. 77-84.	
/R.E./	12	International Search Report for PCT Application No PCT/JP2004/005077; mailed July 27, 2004.	

Examiner Signature	/Robert Eom/	Date Considered	12/09/2008
-----------------------	--------------	--------------------	------------

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered, include copy of this form with next communication to applicant.

¹ Applicant unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14.